



Extremophilic yeasts
Protein expression profiling of
black yeasts
Ancient origins of rock-inhabiting
fungi
Fungal pathogens in dishwashers
Black yeasts associated with ants

Fungal Biology

Special Issue
Black Fungi

Guest Editors
Sybren de Hoog, Martin Grube
and Nina Gunde-Cimerman



Senior Editors

Geoffrey M. Gadd, *Division of Molecular Microbiology, College of Life Sciences, University of Dundee, Dundee, DD1 5EH, UK; e-mail: g.m.gadd@dundee.ac.uk* [Geomycology, physiology and morphogenesis; plant-fungal interactions].

Gregory S. May, *Division of Pathology and Laboratory Medicine, UT, M.D. Anderson Cancer Center, Unit 541515, Holcombe Blvd., Houston, TX 77030, USA; e-mail: gsmay@mdanderson.org* [Genomics, genetics and molecular genetics].

Nicholas P. Money, *Department of Botany, Miami University, Oxford, OH 45056, USA; e-mail: moneynp@muohio.edu* [Cell biology, biochemistry and physiology].

Joseph W. Spatafora, *Department of Botany and Plant Pathology, Cordley Hall, 2082, Oregon State University, Corvallis, Oregon, USA; e-mail: spatafoj@science.oregonstate.edu* [Evolution, taxonomy and systematics].

Editors

Simon Avery, *University of Nottingham, UK; e-mail: Simon.Avery@nottingham.ac.uk*

Steven Bates, *University of Exeter, UK; e-mail: s.bates@exeter.ac.uk*

Gordon W. Beakes, *School of Biology and Psychology, Division of Biology, Newcastle University, Ridley Building, Kings Walk, Newcastle upon Tyne NE1 7RU, UK; e-mail: g.w.beakes@ncl.ac.uk*

Teun Boekhout, *Centraalbureau voor Schimmelcultures, P. O. Box 85167, 3508 AD Utrecht, The Netherlands; e-mail: boekhout@cbs.knaw.nl*

Paola Bonfante, *Dipartimento di Biologia Vegetale dell'Università, Viale Mattiolo 25, I-10125 Torino, Italy; e-mail: paola.bonfante@unito.it*

John W. G. Cairney, *Mycorrhiza Research Group, School of Science, Food and Horticulture, Parramatta Campus, University of Western Sydney, Locked Bag 1797, Penrith South DC, NSW 1797, Australia; e-mail: j.cairney@nepean.uws.edu.au*

David E. L. Cooke, *Plant Pathology Programme, Scottish Crop Research Institute, Invergowrie, Dundee DD2 5DA, UK; e-mail: david.cooke@scri.ac.uk*

John Dighton, *Division of Pinelands Research, Rutgers University, P. O. Box 206, New Lisbon, NJ 08064, USA; e-mail: dighton@camden.rutgers.edu*

Dan Eastwood, *Warwick HRI, University of Warwick, Wellesbourne, Warwickshire, CV35 9EF, UK; e-mail: daniel.eastwood@warwick.ac.uk*

Deirdre Gleeson, *The University of Western Australia, 35 Stirling Highway, 6009 WA, Crawley, Western Australia, Australia; e-mail: deirdre.gleeson@uwa.edu.au*

Martin Grube, *Institut für Botanik, Karl-Franzens Universität, Holteigasse 6, A-8010 Graz, Austria; e-mail: martin.grube@funigraz.ac.at*

Roy E. Halling, *Institute of Systematic Botany, New York Botanical Garden, Bronx, NY 10458-5126, USA; e-mail: rhalling@nybg.org*

Steven Harris, *E126 Beadle Center, Lincoln, NE, USA; e-mail: sharri1@unlnotes.unl.edu*

Kentaro Hosaka, *National Museum of Nature and Science, Botany, 4-1-1 Amakubo, Tsukuba, Ibaraki 305-0005, Japan; e-mail: khosaka@kahaku.go.jp*

Richard A. Humber, *USDA-ARS Collection of Entomopathogenic Fungal Cultures, USDA-ARS Plant Protection Unit, US Plant, Soil and Nutrition Laboratory, Tower Road, Ithaca, NY 14853-2901, USA; e-mail: rah3@cornell.edu*

Kevin D. Hyde, *School of Science, Mae Fah Laung University, Chiang Rai 57100, Thailand; e-mail: kdhyde1@gmail.com*

Rajesh Jeewon, *Dept. of Health Sciences, Faculty of Science, University of Mauritius, Reduit, Mauritius; e-mail: rjeewon@hku.hk*

Nabla Kennedy, *3 The Dell, Dukesmeadows, Kilkenny, Ireland; e-mail: nabla.kennedy@gmail.com*

Karl-Henrik Larsson, *Department of Plant and Environmental Sciences, Göteborg University, P. O. Box 461, SE-40530 Göteborg, Sweden; e-mail: karl-henrik.larsson@dpes.gu.se*

John F. Leslie, *Dept. of Pathology, Kansas State University, 4024 Throckmorton Plant Sciences Center, 66506-5502, Manhattan, Kansas, USA; e-mail: jfl@ksu.edu*

Michael Lorenz, *University of Texas Health Science Center, Microbiology and Molecular Genetics, 6431 Fannin, Houston, TX 77030, USA; e-mail: Michael.Lorenz@uth.tmc.edu*

H. Thorsten Lumbsch, *Department of Botany, The Field Museum of Natural History, 1400 Lake Shore Drive, Chicago, IL 60605-2495, USA; e-mail: tlumbsch@fieldmuseum.org*

Andrew N. Miller, *University of Illinois Urbana-Champaign, Illinois Natural History Survey, 1816 S. Oak St., Champaign, IL 61820, USA; e-mail: amiller@inhs.illinois.edu*

Judith K. Pell, *Plant and Invertebrate Ecology Division, Rothamsted Research, Harpenden, Hertfordshire AL5 2SQ, UK; e-mail: judith.pell@bbsrc.ac.uk*

Stephen W. Peterson, *National Center for Agricultural Utilization Research, USDA, 1815 North University Street, Peoria, IL 61604, USA; e-mail: peterssw@ncaur.usda.gov*

Mark Ramsdale, *University of Exeter, School of Biosciences, Geoffrey Pope Building, Streatham Campus, Exeter, Devon, EX4 4PS, UK; e-mail: M.Ramsdale@exeter.ac.uk*

Meritxell Riquelme, *Department of Microbiology, Center for Scientific Research and Higher Education of Ensenada CICESE, Mexico; e-mail: riquelme@cicese.mx*

Anna Rosling, *Forskarassistent Inst för skoglig mykologi och patologi (SLU), Ulls v 26A, Uppsala, Sweden 75007; e-mail: Anna.Rosling@mykopat.slu.se*

Barbara Schulz, *Institut für Mikrobiologie, Technische Universität Braunschweig, Spielmannstraße 7, Postfach 3329, D-38023 Braunschweig, Germany; e-mail: b.schulz@tu-bs.de*

Marc Stadler, *InterMed Discovery GmbH, Hauptstrasse 120, Niederkirchen, Rheinland Pfalz 67150, Germany; e-mail: marc.stadler@t-online.de*

Katja Sterflinger, *Department of Biotechnology, ACBR, Muthgasse 18, A-1190, Vienna, Austria; e-mail: katja.sterflinger@boku.ac.at*

Hermann Voglmayr, *Institut für Botanik und Botanischer Garten, Universität Wien, Rennweg 14, A-1030 Wien, Austria; e-mail: hermann.voglmayr@univie.ac.at*

Håkan H. Wallander, *Microbial Ecology, The Ecology Building, Lund University, SE-223 62 Lund, Sweden; e-mail: Hakan.Wallander@mbioekol.lu.se*

Pieter van West, *University of Aberdeen, UK; e-mail: p.vanwest@abdn.ac.uk*

Brenda Wingfield, *Department of Genetics, Forestry and Agricultural Biotechnology Institute (FABI), University of Pretoria, Pretoria 0002, South Africa; e-mail: brenda.wingfield@fabi.up.ac.za*

Cover images: Main image

Ascospores of *Sordaria macrospora*, provided by Jessica Stolze-Rybczynski.

Inserts from left to right:

Scanning electron micrograph of hyphal tips, provided by Geoffrey Gadd (Senior Editor of *Fungal Biology*).

Star-shaped aquatic conidium of *Brachiosphaera tropicalis*, provided by Huzefa Raja.

Fruit-body of *Cantharellus cibarius*, provided by Michael Kuo.

Scanning electron micrograph of germinating fungal spores.

Fruit-body of *Scleroderma aurantium*, provided by Chris E. Jeffree.

FUNGAL BIOLOGY

CONTENTS

Volume 115 Issue 10 2011

Special Issue: Black Fungi

Editorial

- 935 The emerging potential of melanized fungi: black yeast between beauty and the beast
N. GUNDE-CIMERMAN, M. GRUBE & S. DE HOOG

Articles

- 937 Resistance to UV-B induced DNA damage in extreme-tolerant cryptoendolithic Antarctic fungi: detection by PCR assays
L. SELBMANN, D. ISOLA, L. ZUCCONI & S. ONOFRI
- 945 The effects of gamma radiation, UV and visible light on ATP levels in yeast cells depend on cellular melanization
R. BRYAN, Z. JIANG, M. FRIEDMAN & E. DADACHOVA
- 950 Extremophilic yeasts: plasma-membrane fluidity as determinant of stress tolerance
M. TURK, A. PLEMENITAŠ & N. GUNDE-CIMERMAN
- 959 Adaptation of the glycerol-3-phosphate dehydrogenase Gpd1 to high salinities in the extremely halotolerant *Hortaea werneckii* and halophilic *Wallemia ichthyophaga*
M. LENASSI, J. ZAJC, C. GOSTINČAR, A. GORJAN, N. GUNDE-CIMERMAN & A. PLEMENITAŠ
- 971 Sample preparation and 2-DE procedure for protein expression profiling of black microcolonial fungi
D. ISOLA, G. MARZBAN, L. SELBMANN, S. ONOFRI, M. LAIMER & K. STERFLINGER
- 978 Black fungi and associated bacterial communities in the phyllosphere of grapevine
M. GRUBE, F. SCHMID & G. BERG
- 987 Rock-inhabiting fungi originated during periods of dry climate in the late Devonian and middle Triassic
C. GUEIDAN, C. RUIBAL, S. DE HOOG & H. SCHNEIDER
- 997 Dishwashers – A man-made ecological niche accommodating human opportunistic fungal pathogens
P. ZALAR, M. NOVAK, G. S. DE HOOG & N. GUNDE-CIMERMAN
- 1008 Evolution of Fungal Pathogens in Domestic Environments?
C. GOSTINČAR, M. GRUBE & N. GUNDE-CIMERMAN
- 1019 *Cladophialophora psammophila*, a novel species of *Chaetothyriales* with a potential use in the bioremediation of volatile aromatic hydrocarbons
H. BADALI, F. X. PRENAFETA-BOLDU, J. GUARRO, C. H. KLAASSEN, J. F. MEIS & G. S. DE HOOG
- 1030 *Exophiala sideris*, a novel black yeast isolated from environments polluted with toxic alkyl benzenes and arsenic
S. SEYEDMOUSAVI, H. BADALI, A. CHLEBICKI, J. ZHAO, F. X. PRENAFETA-BOLDÚ & G. S. DE HOOG
- 1038 Use of ribosomal introns as new markers of genetic diversity in *Exophiala dermatitidis*
M. MACHOUART, C. GUEIDAN, A. KHEMISTI, R. DULONGCOURTY, M. SUDHADHAM & G. S. DE HOOG
- 1051 Elucidation of distribution patterns and possible infection routes of the neurotropic black yeast *Exophiala dermatitidis* using AFLP
M. SUDHADHAM, A. H. G. GERRITS VAN DEN ENDE, P. SIHANONTH, S. SIVICHAI, R. CHAIYARAT, S. B. J. MENKEN, A. VAN BELKUM & G. S. DE HOOG
- 1066 *Fonsecaea multimorphosa* sp. nov., a new species of *Chaetothyriales* isolated from a feline cerebral abscess
M. J. NAJAFZADEH, V. A. VICENTE, J. SUN, J. F. MEIS & G. S. DE HOOG
- 1077 The diversity of ant-associated black yeasts: insights into a newly discovered world of symbiotic interactions
H. VOGLMAYR, V. MAYER, U. MASCHWITZ, J. MOOG, C. DJIETO-LORDON & R. BLATRIX



1878-6146(201110)115:10;1-0

Available online at www.sciencedirect.com

SciVerse ScienceDirect